

Procedure Locations:

□ David H Koch Building
Endoscopy Center
1283 York Avenue, 8th Floor
New York, NY 10065

□ New York Presbyterian
Hospital
Central Endoscopy Suite
525 East 68th Street, 2nd Floor
Greenberg Pavilion
New York, NY 10065

□ Lower Manhattan Hospital
Endoscopy Suite
170 Williams Street,
2nd Floor
New York, NY 10028

CANCELLATION

Scheduling procedures requires careful planning between the staff, doctors, and hospital. To help avoid delays, it is important that you follow the schedule. If you must reschedule or cancel, please call us at least 3 days prior to the procedure at 646-962-4000 or email us at endoscopyquestions@med.cornell.edu. Thank you for your help and consideration.

An Upper Endoscopy is a test that uses a scope to look inside your esophagus, stomach and first part of the small

The Day Before Your Exam
No solid food after midnight.

IF you are on a GLP -1 receptor agonist You should be on a clear liquid diet
For the entire day.

You can only have clear liquids , such as Jell-o, popsicles, broth, tea, black coffee and juice
The rule is if you can see through it you can drink it. NO MILK OR CREAMERS
You cannot eat solid food until AFTER your exam

You can buy these as needed from the Grocery St

Upon arrival, there