# **Procedure Locations:**

David H Koch Building Endoscopy Center 1283 York Avenue, 8<sup>th</sup> Floor New York, NY 10065

# IMPORTANTPLEASTEADDIRECTIONS AREFULLY ATLEASTODAYS BEFORE YOUTROCEDURE!

## ARE YOU TAKING ANTI-PLATELET MEDICATIONS or BLOOD THINNERS?

\$46 Inould	not 🐞		þ	<b>₽</b> -962-4000 <b>₽</b>
Commonly	prescribed medications:			
<b>Đ</b> V	(	<b>M</b>		
þi	(	<b>L</b>		
ia Pa	(	<b>9</b>	(	
<b>i</b> 3	(	ģ		
bj	(	ia)	(	
<b>b</b>	(	j <del>e</del> l		
₽j	(			

## DO NOT STOP YOUR ASPIRIN UNLESS INSTRUCTED TO DO SO BY YOUR DOCTOR

Do you have a Cardiac de	efibrillato	r (AICE	D) opreamanent pacemaker (PM) Or Cu	urrent Cardiac issues?
A clearance letter				
<b>*</b>	þa		<b>P</b>	PPM <b>∳</b> /

## **PURCHASING THE PREP**

Before your colonoscopy, you will need to pick up & purchase the following prep items:

- 1. MIRALAX- Two Over-the-counter bottles of MiraLAX (238 grams) powder
- 2. <u>DULCOLAX-</u> Over-the-counter laxative tablet, called Dulcolax (not the stool softener type)- four (4) tablets
- 3. **GATORADE** Two 32 oz. bottles of Gatorade (if you are **diabetic**, please use a clear diet beverage or diet Gatoradc 0 Tw ()Tj-0200edi10bl

### Seven Days Before Your Exam:

HETAMAN(v He of godd iv ken it til forgod y HANAMAN

## e both by

### **Five Days Before Your Exam:**

Stop oral iron supplements. You can resume after your procedure.

#### Two Days Before Your Exam:

You can have a light breakfast

After Breakfast you can only have clear liquids, such as Jell-o, popsicles, broth, tea, black coffee and juice

#### **The Day Before Your Exam:**

No solid food for the entire day

You can only have **clear liquids**, such as Jell-o, popsicles, broth, tea, black coffee and juice You cannot eat solid food until AFTER your exam

Water	Ginger ale and other Sodas
Black coffee or tea	

You can buy these as needed from the Grocery Store

1 box Chicken Bouillobroth



## 1 bottle Ginger Ale or Clear Juice (No pulp)

